Palo Alto

Palo Alto California 94301-1431

379 Lytton Avenue

Tel 650-326-2400

Fax 650-326-2422

TTC-PA 650-326-2422

TOWNSEND
and
TOWNSEND
and
CREW

RECEIVED CENTRAL FAX CENTER

SEP 0 7 2005

San Francisco, California Tel 415 576-0200

Walnut Creek, California Tel 925 472-5000

San Diego, California Tel 858 350-6100

Denver, Colorado Tel 303 571-4000

Seattle, Washington Tel 206 467-9600

FACSIMILE COVER SHEET

Date: September 07, 2005	Client & Matter Number: 018547-004131US	No. Pages (Including this one):		
To: Examiner Marina Miller Art Unit 1631, USPTO	At Fax Number: 1-571-273-8300	Confirmation Phone Number: 571-272-6101		

From: Joe Liebeschuetz, Reg. No. 37,505

(0229)

Message:

Re:

U.S. Application Serial No. 09/510,378

For: Arrays of Nucleic Acid Probes on Biological Chips

Filed February 22, 2000 Customer No. 20350 Confirmation No. 3064

Attorney Docket No. 018547-004131US

An outline for interview of 09/510,378 on Thursday September 8 follows. (This is not an official communication.)

URGENT -- Please deliver immediately

Original		BE SENT BY MAIL		BE SENT BY FEDEX/OVERNIGHT COURIER	BE SENT BY MESSENGER	х	NOT BE SENT
Will:	1		ľ			١.	

Faxed:

Return to: Susan J. Johnson - (5443)

If you have problems with reception please call Fax Services at extension 5537

mportant

This message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, confidential, and/or exempt from disclosure by applicable law or court order. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us at the above address via the United States Postal Service. Thank you.

N0.915 -P.2

Outline for interview of 09/510,378 on Thursday September 8

Rejection of claim 82 under 35 USC 112, second paragraph

Claim 82. (previously presented) A method of comparing a target nucleic acid with a reference sequence comprising a predetermined sequence of nucleotides, the method comprising:

- (a) hybridizing a sample comprising the target nucleic acid to an array of oligonucleotide probes immobilized on a solid support, the array comprising:
- (1) a first probe set comprising a plurality of different probes, each probe exactly complementary to a subsequence of the reference sequence, the probe including a single interrogation position complementary to a corresponding nucleotide in the reference sequence, wherein the reference sequence is at least 50 bases, and the different probes of the first probe set are overlapping probes spanning the reference sequence;
- (2) a second probe set comprising a corresponding probe for each of the different probes in the first probe set, the corresponding probe in the second probe set being identical to the corresponding probe from the first probe set that includes the interrogation position, except that the one interrogation position is occupied by a different nucleotide in each of the two corresponding probes from the first and second probe sets;

wherein, the different probes in the first probe set have at least three interrogation positions respectively corresponding to each of at least three contiguous nucleotides in the reference sequence, and

(b) detecting a hybridization pattern of the oligonucleotide probes to the target nucleic acid and determining from the hybridization pattern whether a nucleotide in the target sequence is the same or different from the corresponding nucleotide in the reference sequence.

Applicant's position

(a) The reference to a "single" interrogation position in clause (1) is not inconsistent with the reference to "at least three interrogation positions" in the "wherein" clause because the former is

referring to a property of each individual probe, and the latter to the property of the different probes collectively.

- (b) It is unreasonable to insist on reading the "wherein" clause in a manner that is inconsistent with clause (1).
- (c) The intended meaning of the claim is clear from the file history.
- (d) The definiteness requirement does not require absolute definiteness, only that persons skilled in the art are reasonably apprised of the scope of the claim. Shatterproof Glass Corp. v. Libbey-Owens Ford Co., 225 USPQ 633, 641 (Fed. Cir. 1985). "[I]f the language used by applicant satisfies the statutory requirement of 35 USC 112, second paragraph, but the examiner merely wants the applicant to improve the clarity or precision of the language used, the claims must not be rejected under 35 USC 112, second paragraph, rather the examiner should suggest improved language to the applicant." MPEP 2173.02.
- (e) Applicants would be willing to insert "collectively" in the "wherein" clause as a clarification but this has been rejected as new matter "wherein, the different probes in the first probe set collectively have at least three interrogation positions respectively corresponding to each of at least three contiguous nucleotides in the reference sequence," but this has been rejected as new matter.